

BAB V

PENUTUP

5.1 Kesimpulan

Berdasarkan dari hasil penelitian yang telah dijelaskan, dapat disimpulkan beberapa hal sebagai berikut:

1. Telah dirancang pengenal Bahasa isyarat SIBI (Sistem Isyarat Bahasa Indonesia) untuk alfabet dan angka (1-10), berbasis *deep learning* dengan menggunakan model pra-pelatihan *EfficientNetV2B1*.
2. Didapatkan tingkat akurasi pelatihan dari model pra-pelatihan EfficientNetV2B0 sebesar 99,779% dan 99,806% untuk model pra-pelatihan EfficientNetV2B1. Hasil Pengujian akhir dengan model EfficientNetV2B1 didapatkan tingkat keberhasilan pengenalan keseluruhan sebesar 51,92% dari 468 kali percobaan.

5.2 Saran

Berdasarkan hasil dalam penelitian ini, terdapat beberapa saran untuk penelitian selanjutnya:

1. Menambah jumlah kelas pengenalan seperti isyarat pokok (kata dasar), isyarat tambahan (awalan, akhiran, partikel), dan lainnya.
2. Memperbanyak ragam citra serta variasi latar belakang citra pada himpunan data.
3. Menggunakan model terbaru dan terbaik lainnya dalam melatih himpunan data.

4. Melakukan pengujian langsung ke penyandang disabilitas pengguna Bahasa isyarat SIBI, untuk memverifikasi kebenaran dari sistem yang dirancang.
5. Melanjutkan hingga antar muka aplikasi pengguna baik halaman web maupun aplikasi seluler.

DAFTAR PUSTAKA

- Abiodun, O. I., Jantan, A., Omolara, A. E., Dada, K. V., Mohamed, N. A., & Arshad, H. (2018). State-of-the-art in artificial neural network applications: A survey. *Heliyon*, 4(11), e00938. <https://doi.org/10.1016/j.heliyon.2018.e00938>
- Adaloglou, N. M., Chatzis, T., Papastratis, I., Stergioulas, A., Papadopoulos, G. T., Zacharopoulou, V., Xydopoulos, G., Antzakas, K., Papazachariou, D., & Daras, P. none. (2021). A Comprehensive Study on Deep Learning-based Methods for Sign Language Recognition. *IEEE Transactions on Multimedia*, 1–1. <https://doi.org/10.1109/TMM.2021.3070438>
- Alper, M. (2015). Augmentative, Alternative, and Assistive: Reimagining the History of Mobile Computing and Disability. *IEEE Annals of the History of Computing*, 37(1). <https://doi.org/10.1109/MAHC.2015.3>
- Aman, A. (2021). *EfficientNetV2 – Weights & Biases*. https://wandb.ai/wandb_fc/pytorch-image-models/reports/EfficientNetV2--Vmlldzo2NTkwNTQ
- Avila, J. de. (2011, December 24). *Giving the Gift of Voice With the Touch of a Finger* - *WSJ*. <https://www.wsj.com/articles/SB10001424052970204464404577116603396144464>
- Ayumida, S., Syamsul Azis, M., & Gherar Fiano, Z. (2021). IMPLEMENTASI PROGRAM ADMINISTRASI PEMBAYARAN BERBASIS DEKSTOP (STUDI KASUS: SMA NEGERI 1 CIKAMPEK). *Jurnal Interkom: Jurnal*

- Publikasi Ilmiah Bidang Teknologi Informasi Dan Komunikasi*, 15(2), 30–41.
<https://doi.org/10.35969/interkom.v15i2.92>
- Bantupalli, K., & Xie, Y. (2018, December). American Sign Language Recognition using Deep Learning and Computer Vision. *2018 IEEE International Conference on Big Data (Big Data).*
<https://doi.org/10.1109/BigData.2018.8622141>
- Barbhuiya, A. A., Karsh, R. K., & Jain, R. (2021). CNN based feature extraction and classification for sign language. *Multimedia Tools and Applications*, 80(2), 3051–3069. <https://doi.org/10.1007/s11042-020-09829-y>
- Barbosa Neves, B., Franz, R., Judges, R., Beermann, C., & Baecker, R. (2019). Can Digital Technology Enhance Social Connectedness Among Older Adults? A Feasibility Study. *Journal of Applied Gerontology*, 38(1).
<https://doi.org/10.1177/0733464817741369>
- Berke, J. (2021, March 1). *Deaf and Other Nonverbal Users of Sign Language*. Verywellhealth. <https://www.verywellhealth.com/sign-language-nonverbal-users-1046848>
- Bhasin, H. (2019). *Python Basics*. Dulles: Mercury Learning and Information.
- Bonvillian, J. D., & Nelson, K. E. (1976). Sign Language Acquisition in a Mute Autistic Boy. *Journal of Speech and Hearing Disorders*, 41(3), 339–347.
<https://doi.org/10.1044/jshd.4103.339>
- Bragg, D., Koller, O., Bellard, M., Berke, L., Boudreault, P., Braffort, A., Caselli, N., Huenerfauth, M., Kacorri, H., Verhoeft, T., Vogler, C., & Ringel Morris, M. (2019, October 24). Sign Language Recognition, Generation, and

- Translation. *The 21st International ACM SIGACCESS Conference on Computers and Accessibility*. <https://doi.org/10.1145/3308561.3353774>
- Chen, L.-P. (2019). Mehryar Mohri, Afshin Rostamizadeh, and Ameet Talwalkar: Foundations of machine learning, second edition. *Statistical Papers*, 60(5), 1793–1795. <https://doi.org/10.1007/s00362-019-01124-9>
- Cheok, M. J., Omar, Z., & Jaward, M. H. (2019). A review of hand gesture and sign language recognition techniques. *International Journal of Machine Learning and Cybernetics*, 10(1). <https://doi.org/10.1007/s13042-017-0705-5>
- Deafness and hearing loss*. (2021, April 1). <https://www.who.int/news-room/fact-sheets/detail/deafness-and-hearing-loss>
- Ghahramani, Z. (2004). *Unsupervised Learning* (pp. 72–112). https://doi.org/10.1007/978-3-540-28650-9_5
- Grebelsky-Lichtman, T. (2014). Children’s Verbal and Nonverbal Congruent and Incongruent Communication During Parent-Child Interactions. *Human Communication Research*, 40(4). <https://doi.org/10.1111/hcre.12035>
- Haile, L. M., Kamenov, K., Briant, P. S., Orji, A. U., Steinmetz, J. D., Abdoli, A., Abdollahi, M., Abu-Gharbieh, E., Afshin, A., Ahmed, H., Ahmed Rashid, T., Akalu, Y., Alahdab, F., Alanezi, F. M., Alanzi, T. M., al Hamad, H., Ali, L., Alipour, V., Al-Raddadi, R. M., ... Chadha, S. (2021). Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. *The Lancet*, 397(10278). [https://doi.org/10.1016/S0140-6736\(21\)00516-X](https://doi.org/10.1016/S0140-6736(21)00516-X)
- Hasan, J. M., Septiningrum, L. D., Chaery, A. F., Abdurachman, T. A., & Prawirayudha, A. L. (2020). SISTEM INFORMASI AKUNTANSI

- (FLOWCHART) DALAM PEMBANGUNAN MASJID AL-AULIA. *DEDIKASI PKM*, 2(1), 118. <https://doi.org/10.32493/dedikasipkm.v2i1.8503>
- Hossen, M. A., Govindaiah, A., Sultana, S., & Bhuiyan, A. (2018). Bengali Sign Language Recognition Using Deep Convolutional Neural Network. *2018 Joint 7th International Conference on Informatics, Electronics & Vision (ICIEV) and 2018 2nd International Conference on Imaging, Vision & Pattern Recognition (IcIVPR)*, 369–373. <https://doi.org/10.1109/ICIEV.2018.8640962>
- Humes, L. E. (2019). The World Health Organization's hearing-impairment grading system: an evaluation for unaided communication in age-related hearing loss. *International Journal of Audiology*, 58(1). <https://doi.org/10.1080/14992027.2018.1518598>
- Ito, S., Ito, M., & Fukumi, M. (2019). Japanese sign language classification based on gathered images and neural networks. *International Journal of Advances in Intelligent Informatics*, 5(3), 243. <https://doi.org/10.26555/ijain.v5i3.406>
- Kaehler, A., & Bradski, G. (2018). *Learning OpenCV 3*. Sebastopol.
- Kamruzzaman, M. M. (2020). Arabic Sign Language Recognition and Generating Arabic Speech Using Convolutional Neural Network. *Wireless Communications and Mobile Computing*, 2020, 1–9. <https://doi.org/10.1155/2020/3685614>
- Kamus SIBI.* (n.d.). Retrieved November 11, 2021, from <https://pmpk.kemdikbud.go.id/sibi/profil>
- Kar, A., & Chatterjee, P. S. (2015, January). An Approach for Minimizing the Time Taken by Video Processing for Translating Sign Language to Simple Sentence

- in English. *2015 International Conference on Computational Intelligence and Networks*. <https://doi.org/10.1109/CINE.2015.40>
- Katoch, S., Singh, V., & Tiwary, U. S. (2022). Indian Sign Language recognition system using SURF with SVM and CNN. *Array*, 14, 100141. <https://doi.org/10.1016/j.array.2022.100141>
- Kumar, P., Rautaray, S. S., & Agrawal, A. (2012, March). Hand data glove: A new generation real-time mouse for Human-Computer Interaction. *2012 1st International Conference on Recent Advances in Information Technology (RAIT)*. <https://doi.org/10.1109/RAIT.2012.6194548>
- McDaid, D., Park, A.-L., & Chadha, S. (2021). Estimating the global costs of hearing loss. *International Journal of Audiology*, 60(3). <https://doi.org/10.1080/14992027.2021.1883197>
- Michels, T. C., Duffy, M. T., & Rogers, D. J. (2019). Hearing Loss in Adults: Differential Diagnosis and Treatment. *American Family Physician*, 100(2), 98–108. <https://doi.org/10.26616/NIOSHPUB2018124>
- Mishra, C., & Gupta, D. L. (2017). Deep Machine Learning and Neural Networks: An Overview. *IAES International Journal of Artificial Intelligence (IJ-AI)*, 6(2), 66. <https://doi.org/10.11591/ijai.v6.i2.pp66-73>
- Moeslund, T. B., Hilton, A., & Krüger, V. (2006). A survey of advances in vision-based human motion capture and analysis. *Computer Vision and Image Understanding*, 104(2–3). <https://doi.org/10.1016/j.cviu.2006.08.002>
- Ndungi, R., & Karuga, S. (2022). Sign Language Prediction Model using Convolution Neural Network. *IJID (International Journal on Informatics for Development)*, 10(2), 92–101. <https://doi.org/10.14421/ijid.2021.3284>

- Ohtsuka, S., Hasegawa, S., Sasaki, N., & Harakawa, T. (2010, January). Communication System between Deaf-Blind People and Non-Disabled People Using Body-Braille and Infrared Communication. *2010 7th IEEE Consumer Communications and Networking Conference*. <https://doi.org/10.1109/CCNC.2010.5421647>
- Pang, B., Nijkamp, E., & Wu, Y. N. (2020). Deep Learning With TensorFlow: A Review. *Journal of Educational and Behavioral Statistics*, 45(2), 227–248. <https://doi.org/10.3102/1076998619872761>
- Pramunanto, E., Sumpeno, S., & Legowo, R. S. (2017, August). Classification of hand gesture in Indonesian sign language system using Naive Bayes. *2017 International Seminar on Sensors, Instrumentation, Measurement and Metrology (ISSIMM)*. <https://doi.org/10.1109/ISSIMM.2017.8124288>
- Prastyo, P. H., Prasetyo, S. E., & Arti, S. (2021). A Machine Learning Framework for Improving Classification Performance on Credit Approval. *IJID (International Journal on Informatics for Development)*, 10(1), 47–52. <https://doi.org/10.14421/ijid.2021.2384>
- Priyowidodo, G., D. Sari, Y., Inggrit I, I., & Gunawan, S. (2019, January 29). *COMMUNICATION PATTERNS BASED ON SOCIAL MEDIA AS A POLITICAL MARKETING STRATEGY IN INDONESIAN DEMOCRATIC PARTY OF STRUGGLE*. <https://doi.org/10.17501/2357268X.2018.5104>
- Pu, J., Zhou, W., & Li, H. (2019, June). Iterative Alignment Network for Continuous Sign Language Recognition. *2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*. <https://doi.org/10.1109/CVPR.2019.00429>

- Ramadhani, R. A., Putra, I. K. G. D., Sudarma, M., & Giriantari, I. A. D. (2020). Stemming Algorithm for Indonesian Signaling Systems (SIBI). *International Journal of Engineering and Emerging Technology*, 5(1). <https://doi.org/10.24843/IJEET.2020.v05.i01.p11>
- Rao, G. A., Syamala, K., Kishore, P. V. v., & Sastry, A. S. C. S. (2018). Deep convolutional neural networks for sign language recognition. *2018 Conference on Signal Processing And Communication Engineering Systems (SPACES)*, 194–197. <https://doi.org/10.1109/SPACES.2018.8316344>
- Rastgoo, R., Kiani, K., & Escalera, S. (2021). Sign Language Recognition: A Deep Survey. *Expert Systems with Applications*, 164. <https://doi.org/10.1016/j.eswa.2020.113794>
- Samonte, M. J. C., Gazmin, R. A., Soriano, J. D. S., & Valencia, M. N. O. (2019, October). BridgeApp: An Assistive Mobile Communication Application for the Deaf and Mute. *2019 International Conference on Information and Communication Technology Convergence (ICTC)*. <https://doi.org/10.1109/ICTC46691.2019.8939866>
- Samuel, A. L. (1988). Some Studies in Machine Learning Using the Game of Checkers. II—Recent Progress. In *Computer Games I* (pp. 366–400). Springer New York. https://doi.org/10.1007/978-1-4613-8716-9_15
- Sandler, W., & Lillo-Martin, D. (2006). *Sign Language and Linguistic Universals*. Cambridge University Press. <https://doi.org/10.1017/CBO9781139163910>
- Santoso, S., & Nurmalina, R. (2017). Perencanaan dan Pengembangan Aplikasi Absensi Mahasiswa Menggunakan Smart Card Guna Pengembangan Kampus Cerdas. *JURNAL INTEGRASI*, 9(1), 84. <https://doi.org/10.30871/ji.v9i1.288>

- Sarker, I. H. (2021a). Machine Learning: Algorithms, Real-World Applications and Research Directions. *SN Computer Science*, 2(3), 160. <https://doi.org/10.1007/s42979-021-00592-x>
- Sarker, I. H. (2021b). Deep Learning: A Comprehensive Overview on Techniques, Taxonomy, Applications and Research Directions. *SN Computer Science*, 2(6), 420. <https://doi.org/10.1007/s42979-021-00815-1>
- Sharma, S., & Singh, S. (2021). Vision-based hand gesture recognition using deep learning for the interpretation of sign language. *Expert Systems with Applications*, 182. <https://doi.org/10.1016/j.eswa.2021.115657>
- Simanjuntak, N. J., Suryadi, S., & Silaen, G. J. Y. (2019). SISTEM PENGARSIPAN SURAT BAGIAN ORGANISASI DAN TATALAKSANA PADA KANTOR BUPATI LABUHANBATU BERBASIS WEB. *JURNAL INFORMATIKA*, 5(3), 26–36. <https://doi.org/10.36987/informatika.v5i3.733>
- Sistem Informasi Penyandang Disabilitas - Kementerian Sosial RI.* (n.d.). Retrieved October 23, 2021, from <https://simpd.kemensos.go.id/>
- Solikin, I. (2018). Implementasi E-Modul pada Program Studi Manajemen Informatika Universitas Bina Darma Berbasis Web Mobile. *Jurnal RESTI (Rekayasa Sistem Dan Teknologi Informasi)*, 2(2), 492–497. <https://doi.org/10.29207/resti.v2i2.393>
- Sun, Y., Yuan, T., Chen, J., & Feng, R. (2020, August). Chinese Sign Language Key Action Recognition Based on Extenics Immune Neural Network. *2020 IEEE International Conference on Advances in Electrical Engineering and Computer Applications (AEECA)*. <https://doi.org/10.1109/AEECA49918.2020.9213483>

- Syulistyo, A. R., Hormansyah, D. S., & Saputra, P. Y. (2020). SIBI (Sistem Isyarat Bahasa Indonesia) translation using Convolutional Neural Network (CNN). *IOP Conference Series: Materials Science and Engineering*, 732. <https://doi.org/10.1088/1757-899X/732/1/012082>
- Tan, M., & Le, Q. v. (2021). *EfficientNetV2: Smaller Models and Faster Training*. Tolentino, L. K. S., Juan, R. O. S., Thio-ac, A. C., Pamahoy, M. A. B., Forteza, J. R. R., & Garcia, X. J. O. (2019). Static Sign Language Recognition Using Deep Learning. *International Journal of Machine Learning and Computing*, 9(6), 821–827. <https://doi.org/10.18178/ijmlc.2019.9.6.879>
- Wadhawan, A., & Kumar, P. (2020). Deep learning-based sign language recognition system for static signs. *Neural Computing and Applications*, 32(12), 7957–7968. <https://doi.org/10.1007/s00521-019-04691-y>
- World Health Organization. (2021). World report on hearing. *Genova*, 1–272.
- Xiao, Q., Qin, M., Guo, P., & Zhao, Y. (2019). Multimodal Fusion Based on LSTM and a Couple Conditional Hidden Markov Model for Chinese Sign Language Recognition. *IEEE Access*, 7. <https://doi.org/10.1109/ACCESS.2019.2925654>
- Yu, Y., Chen, X., Cao, S., Zhang, X., & Chen, X. (2020). Exploration of Chinese Sign Language Recognition Using Wearable Sensors Based on Deep Belief Net. *IEEE Journal of Biomedical and Health Informatics*, 24(5). <https://doi.org/10.1109/JBHI.2019.2941535>